

# Food Establishment Inspection Report

Score: 96

Establishment Name: SUBWAY #29952

Establishment ID: 4092016069

Location Address: 5412 APEX PEAKWAY

City: APEX State: North Carolina

Zip: 27502 County: 92 Wake

Permittee: ARAN FOODS INC

Telephone: (919) 362-7976

Inspection  Re-Inspection  Educational Visit

**Wastewater System:**

Municipal/Community  On-Site System

**Water Supply:**

Municipal/Community  On-Site Supply

Date: 12/05/2024 Status Code: A

Time In: 1:50 PM Time Out: 3:30 PM

Category#: II

FDA Establishment Type: \_\_\_\_\_

No. of Risk Factor/Intervention Violations: 1

No. of Repeat Risk Factor/Intervention Violations: 1

**Foodborne Illness Risk Factors and Public Health Interventions**

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
<b>Supervision .2652</b>					
1	<input checked="" type="checkbox"/> OUT/N/A				
PIC Present, demonstrates knowledge, & performs duties		1	0		
2	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A				
Certified Food Protection Manager		<input checked="" type="checkbox"/>	0		X
<b>Employee Health .2652</b>					
3	<input checked="" type="checkbox"/> OUT				
Management, food & conditional employee; knowledge, responsibilities & reporting		2	1	0	
4	<input checked="" type="checkbox"/> OUT				
Proper use of reporting, restriction & exclusion		3	1.5	0	
5	<input checked="" type="checkbox"/> OUT				
Procedures for responding to vomiting & diarrheal events		1	0.5	0	
<b>Good Hygienic Practices .2652, .2653</b>					
6	<input checked="" type="checkbox"/> OUT				
Proper eating, tasting, drinking or tobacco use		1	0.5	0	
7	<input checked="" type="checkbox"/> OUT				
No discharge from eyes, nose, and mouth		1	0.5	0	
<b>Preventing Contamination by Hands .2652, .2653, .2655, .2656</b>					
8	<input checked="" type="checkbox"/> OUT				
Hands clean & properly washed		4	2	0	
9	<input checked="" type="checkbox"/> OUT/N/A/N/O				
No bare hand contact with RTE foods or pre-approved alternate procedure properly followed		4	2	0	
10	<input checked="" type="checkbox"/> OUT/N/A				
Handwashing sinks supplied & accessible		2	1	0	
<b>Approved Source .2653, .2655</b>					
11	<input checked="" type="checkbox"/> OUT				
Food obtained from approved source		2	1	0	
12	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
Food received at proper temperature		2	1	0	
13	<input checked="" type="checkbox"/> OUT				
Food in good condition, safe & unadulterated		2	1	0	
14	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A/N/O				
Required records available: shellstock tags, parasite destruction		2	1	0	
<b>Protection from Contamination .2653, .2654</b>					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Food separated & protected		3	1.5	0	
16	<input checked="" type="checkbox"/> OUT				
Food-contact surfaces: cleaned & sanitized		3	1.5	0	
17	<input checked="" type="checkbox"/> OUT				
Proper disposition of returned, previously served, reconditioned & unsafe food		2	1	0	
<b>Potentially Hazardous Food Time/Temperature .2653</b>					
18	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cooking time & temperatures		3	1.5	0	
19	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper reheating procedures for hot holding		3	1.5	0	
20	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cooling time & temperatures		3	1.5	0	
21	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper hot holding temperatures		3	1.5	0	
22	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cold holding temperatures		3	1.5	0	
23	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper date marking & disposition		3	1.5	0	
24	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A/N/O				
Time as a Public Health Control; procedures & records		3	1.5	0	
<b>Consumer Advisory .2653</b>					
25	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Consumer advisory provided for raw/undercooked foods		1	0.5	0	
<b>Highly Susceptible Populations .2653</b>					
26	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Pasteurized foods used; prohibited foods not offered		3	1.5	0	
<b>Chemical .2653, .2657</b>					
27	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Food additives: approved & properly used		1	0.5	0	
28	<input checked="" type="checkbox"/> OUT/N/A				
Toxic substances properly identified stored & used		2	1	0	
<b>Conformance with Approved Procedures .2653, .2654, .2658</b>					
29	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan		2	1	0	

**Good Retail Practices**

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
<b>Safe Food and Water .2653, .2655, .2658</b>					
30	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Pasteurized eggs used where required		1	0.5	0	
31	<input checked="" type="checkbox"/> OUT				
Water and ice from approved source		2	1	0	
32	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Variance obtained for specialized processing methods		2	1	0	
<b>Food Temperature Control .2653, .2654</b>					
33	<input checked="" type="checkbox"/> OUT				
Proper cooling methods used; adequate equipment for temperature control		1	0.5	0	
34	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> N/O				
Plant food properly cooked for hot holding		1	0.5	0	
35	<input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> N/O				
Approved thawing methods used		1	0.5	0	
36	<input checked="" type="checkbox"/> OUT				
Thermometers provided & accurate		1	0.5	0	
<b>Food Identification .2653</b>					
37	<input checked="" type="checkbox"/> OUT				
Food properly labeled: original container		2	1	0	
<b>Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657</b>					
38	<input checked="" type="checkbox"/> OUT				
Insects & rodents not present; no unauthorized animals		2	1	0	
39	<input checked="" type="checkbox"/> OUT				
Contamination prevented during food preparation, storage & display		2	1	0	
40	<input checked="" type="checkbox"/> OUT				
Personal cleanliness		1	0.5	0	
41	<input checked="" type="checkbox"/> OUT				
Wiping cloths: properly used & stored		1	0.5	0	
42	<input checked="" type="checkbox"/> OUT/N/A				
Washing fruits & vegetables		1	0.5	0	
<b>Proper Use of Utensils .2653, .2654</b>					
43	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
In-use utensils: properly stored		1	<input checked="" type="checkbox"/>	0	X
44	<input checked="" type="checkbox"/> OUT				
Utensils, equipment & linens: properly stored, dried & handled		1	0.5	0	
45	<input checked="" type="checkbox"/> OUT				
Single-use & single-service articles: properly stored & used		1	0.5	0	
46	<input checked="" type="checkbox"/> OUT				
Gloves used properly		1	0.5	0	
<b>Utensils and Equipment .2653, .2654, .2663</b>					
47	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used		1	<input checked="" type="checkbox"/>	0	X
48	<input checked="" type="checkbox"/> OUT				
Warewashing facilities: installed, maintained & used; test strips		1	0.5	0	
49	<input checked="" type="checkbox"/> OUT				
Non-food contact surfaces clean		1	0.5	0	
<b>Physical Facilities .2654, .2655, .2656</b>					
50	<input checked="" type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Hot & cold water available; adequate pressure		1	0.5	0	
51	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
Plumbing installed; proper backflow devices		<input checked="" type="checkbox"/>	1	0	X
52	<input checked="" type="checkbox"/> OUT				
Sewage & wastewater properly disposed		2	1	0	
53	<input checked="" type="checkbox"/> OUT/N/A				
Toilet facilities: properly constructed, supplied & cleaned		1	0.5	0	
54	<input checked="" type="checkbox"/> OUT				
Garbage & refuse properly disposed; facilities maintained		1	0.5	0	
55	<input checked="" type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
Physical facilities installed, maintained & clean		1	0.5	<input checked="" type="checkbox"/>	
56	<input checked="" type="checkbox"/> OUT				
Meets ventilation & lighting requirements; designated areas used		1	0.5	0	
<b>TOTAL DEDUCTIONS:</b>					<b>4</b>



# Comment Addendum to Food Establishment Inspection Report



Establishment Name: SUBWAY #29952  
 Location Address: 5412 APEX PEAKWAY  
 City: APEX State: NC  
 County: 92 Wake Zip: 27502  
 Wastewater System:  Municipal/Community  On-Site System  
 Water Supply:  Municipal/Community  On-Site System  
 Permittee: ARAN FOODS INC  
 Telephone: (919) 362-7976


Establishment ID: 4092016069  
 Inspection  Re-Inspection Date: 12/05/2024  
 Educational Visit Status Code: A  
 Comment Addendum Attached?  Category #: II  
 Email 1:  
 Email 2:  
 Email 3: rali4261@gmail.com

## Temperature Observations

Item/Location	Temp	Item/Location	Temp	Item/Location	Temp
Turkey/Tuna Salad/Cut lettuce /Walk-in	37 - 39				
Chicken/Cut tomato /Walk-in	39 - 40				
Ham/Turkey/Sliced beef /Makeline	40 - 41				
Cut lettuce/Tomato /Makeline	41				
Tuna salad /Makeline	40				
Veggie patties/Chicken /Reach-in	39				
Meatballs /Hot holding unit	143				

Person in Charge (Print & Sign): *First* Khalid *Last* Sheikh  
 Regulatory Authority (Print & Sign): *First* Matthew *Last* Saliba

REHS ID: 3079 - Saliba, Matthew Verification Dates: Priority: \_\_\_\_\_ Priority Foundation: \_\_\_\_\_ Core: \_\_\_\_\_  
 REHS Contact Phone Number: (919) 500-6269 Authorize final report to be received via Email: 

## Comment Addendum to Inspection Report

**Establishment Name:** SUBWAY #29952

**Establishment ID:** 4092016069

**Date:** 12/05/2024 **Time In:** 1:50 PM **Time Out:** 3:30 PM

### Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 2 2-102.12 (A); Core; Person in charge is not a CFPM as required. The person in charge shall be a certified food protection manager (CFPM) who has shown proficiency of required information through passing a test that is part of an ANSI accredited program such as Serve Safe. Have employee/manager obtain required certification to avoid future demerits.
- 43 3-304.12; Core; Food scoops in sliced chicken and tuna salad were observed laying in the food with handles touching the food. During pauses in food dispensing, keep handles out of the food and above the top of the container. CDI- scoops removed.
- 47 4-501.11; Core; White coated metal shelving in the reach-in unit is corroding, rusting, and peeling. This prevents proper cleaning and pieces of plastic/rust can contaminate food. Equipment shall be kept in good repair. Replace shelving soon to avoid a full point deduction.
- 51 5-205.15; Core; The back prep area handwashing sink faucet is leaking when turned on. Water pressure is not good as a result. Plumbing systems shall be kept in good repair. Please fix handwashing sink faucet. Full points taken for repeated violation.
- 55 6-501.11; Core; Metal base wall covering near the entrance of the walk-in freezer is damaged, rusting and a jagged edge is sticking out. Floors, walls, and ceilings shall be maintained in good repair. Repair this area. No point taken today.