

Food Establishment Inspection Report

Score: 99

Establishment Name: RUDY'S PUB GRILL

Establishment ID: 4092016546

Location Address: 780 W WILLIAMS ST

City: APEX State: North Carolina

Zip: 27502 County: 92 Wake

Permittee: VIBAH, LLC

Telephone: (919) 303-5061

Inspection Re-Inspection Educational Visit

Wastewater System:

Municipal/Community On-Site System

Water Supply:

Municipal/Community On-Site Supply

Date: 01/09/2025 Status Code: A

Time In: 10:45 AM Time Out: 12:30 PM

Category#: IV

FDA Establishment Type: _____

No. of Risk Factor/Intervention Violations: 0

No. of Repeat Risk Factor/Intervention Violations: 0

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
Supervision .2652					
1	<input checked="" type="checkbox"/> OUT/N/A				
PIC Present, demonstrates knowledge, & performs duties		1	0		
2	<input checked="" type="checkbox"/> OUT/N/A				
Certified Food Protection Manager		1	0		
Employee Health .2652					
3	<input checked="" type="checkbox"/> OUT				
Management, food & conditional employee; knowledge, responsibilities & reporting		2	1	0	
4	<input checked="" type="checkbox"/> OUT				
Proper use of reporting, restriction & exclusion		3	1.5	0	
5	<input checked="" type="checkbox"/> OUT				
Procedures for responding to vomiting & diarrheal events		1	0.5	0	
Good Hygienic Practices .2652, .2653					
6	<input checked="" type="checkbox"/> OUT				
Proper eating, tasting, drinking or tobacco use		1	0.5	0	
7	<input checked="" type="checkbox"/> OUT				
No discharge from eyes, nose, and mouth		1	0.5	0	
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
8	<input checked="" type="checkbox"/> OUT				
Hands clean & properly washed		4	2	0	
9	<input checked="" type="checkbox"/> OUT/N/A/N/O				
No bare hand contact with RTE foods or pre-approved alternate procedure properly followed		4	2	0	
10	<input checked="" type="checkbox"/> OUT/N/A				
Handwashing sinks supplied & accessible		2	1	0	
Approved Source .2653, .2655					
11	<input checked="" type="checkbox"/> OUT				
Food obtained from approved source		2	1	0	
12	<input checked="" type="checkbox"/> IN OUT				
Food received at proper temperature		2	1	0	
13	<input checked="" type="checkbox"/> OUT				
Food in good condition, safe & unadulterated		2	1	0	
14	<input checked="" type="checkbox"/> IN OUT				
Required records available: shellstock tags, parasite destruction		2	1	0	
Protection from Contamination .2653, .2654					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Food separated & protected		3	1.5	0	
16	<input checked="" type="checkbox"/> OUT				
Food-contact surfaces: cleaned & sanitized		3	1.5	0	
17	<input checked="" type="checkbox"/> OUT				
Proper disposition of returned, previously served, reconditioned & unsafe food		2	1	0	
Potentially Hazardous Food Time/Temperature .2653					
18	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cooking time & temperatures		3	1.5	0	
19	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper reheating procedures for hot holding		3	1.5	0	
20	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cooling time & temperatures		3	1.5	0	
21	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper hot holding temperatures		3	1.5	0	
22	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cold holding temperatures		3	1.5	0	
23	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper date marking & disposition		3	1.5	0	
24	<input checked="" type="checkbox"/> IN OUT				
Time as a Public Health Control; procedures & records		3	1.5	0	
Consumer Advisory .2653					
25	<input checked="" type="checkbox"/> OUT/N/A				
Consumer advisory provided for raw/undercooked foods		1	0.5	0	
Highly Susceptible Populations .2653					
26	<input checked="" type="checkbox"/> IN OUT				
Pasteurized foods used; prohibited foods not offered		3	1.5	0	
Chemical .2653, .2657					
27	<input checked="" type="checkbox"/> IN OUT				
Food additives: approved & properly used		1	0.5	0	
28	<input checked="" type="checkbox"/> OUT/N/A				
Toxic substances properly identified stored & used		2	1	0	
Conformance with Approved Procedures .2653, .2654, .2658					
29	<input checked="" type="checkbox"/> IN OUT				
Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan		2	1	0	

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658					
30	<input checked="" type="checkbox"/> IN OUT				
Pasteurized eggs used where required		1	0.5	0	
31	<input checked="" type="checkbox"/> OUT				
Water and ice from approved source		2	1	0	
32	<input checked="" type="checkbox"/> IN OUT				
Variance obtained for specialized processing methods		2	1	0	
Food Temperature Control .2653, .2654					
33	<input checked="" type="checkbox"/> OUT				
Proper cooling methods used; adequate equipment for temperature control		1	0.5	0	
34	<input checked="" type="checkbox"/> IN OUT				
Plant food properly cooked for hot holding		1	0.5	0	
35	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Approved thawing methods used		1	0.5	0	
36	<input checked="" type="checkbox"/> OUT				
Thermometers provided & accurate		1	0.5	0	
Food Identification .2653					
37	<input checked="" type="checkbox"/> OUT				
Food properly labeled: original container		2	1	0	
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
38	<input checked="" type="checkbox"/> OUT				
Insects & rodents not present; no unauthorized animals		2	1	0	
39	<input checked="" type="checkbox"/> OUT				
Contamination prevented during food preparation, storage & display		2	1	0	
40	<input checked="" type="checkbox"/> OUT				
Personal cleanliness		1	0.5	0	
41	<input checked="" type="checkbox"/> OUT				
Wiping cloths: properly used & stored		1	0.5	0	
42	<input checked="" type="checkbox"/> OUT/N/A				
Washing fruits & vegetables		1	0.5	0	
Proper Use of Utensils .2653, .2654					
43	<input checked="" type="checkbox"/> OUT				
In-use utensils: properly stored		1	0.5	0	
44	<input checked="" type="checkbox"/> OUT				
Utensils, equipment & linens: properly stored, dried & handled		1	0.5	0	
45	<input checked="" type="checkbox"/> OUT				
Single-use & single-service articles: properly stored & used		1	0.5	0	
46	<input checked="" type="checkbox"/> OUT				
Gloves used properly		1	0.5	0	
Utensils and Equipment .2653, .2654, .2663					
47	<input checked="" type="checkbox"/> OUT				
Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used		1	0.5	0	
48	<input checked="" type="checkbox"/> OUT				
Warewashing facilities: installed, maintained & used; test strips		1	0.5	0	
49	<input checked="" type="checkbox"/> OUT				
Non-food contact surfaces clean		1	0.5	0	
Physical Facilities .2654, .2655, .2656					
50	<input checked="" type="checkbox"/> OUT/N/A				
Hot & cold water available; adequate pressure		1	0.5	0	
51	<input checked="" type="checkbox"/> OUT				
Plumbing installed; proper backflow devices		2	1	0	
52	<input checked="" type="checkbox"/> OUT				
Sewage & wastewater properly disposed		2	1	0	
53	<input checked="" type="checkbox"/> OUT/N/A				
Toilet facilities: properly constructed, supplied & cleaned		1	0.5	0	
54	<input checked="" type="checkbox"/> IN				
Garbage & refuse properly disposed; facilities maintained		1	0.5		
55	<input checked="" type="checkbox"/> IN				
Physical facilities installed, maintained & clean		1	0.5		X
56	<input checked="" type="checkbox"/> IN				
Meets ventilation & lighting requirements; designated areas used		1	0.5		
TOTAL DEDUCTIONS:					1



Comment Addendum to Food Establishment Inspection Report

Establishment Name: RUDY'S PUB GRILL
 Location Address: 780 W WILLIAMS ST
 City: APEX State: NC
 County: 92 Wake Zip: 27502
 Wastewater System: Municipal/Community On-Site System
 Water Supply: Municipal/Community On-Site System
 Permittee: VIBAH, LLC
 Telephone: (919) 303-5061

Establishment ID: 4092016546
 Inspection Re-Inspection Date: 01/09/2025
 Educational Visit Status Code: A
 Comment Addendum Attached? Category #: IV
 Email 1:
 Email 2:
 Email 3: rudysofapex@gmail.com

Temperature Observations

Item/Location	Temp	Item/Location	Temp	Item/Location	Temp
Chili /Cooling, ice bath 90 mins	44 - 71				
Mushroom bisque /Hot holding unit	172				
Beans/Pork/Queso /Hot holding unit	147 - 168				
Chili /Reheating on stove	167 - 170				
Cut lettuce/tomato /Fliptop unit	40 - 41				
Cooked veggies/Reach-in	40				
Coleslaw/Boiled eggs /Fliptop unit	39 - 40				
Chicken/Burgers/Shrimp /Grill cooler drawer	38 - 40				
Cooked peppers/mushroom /Grill cooler drawer	39 - 40				
White fish /Fryer reach-in	37				
Wings/Shrimp /Fryer fliptop	36 - 40				
Steak, mid rare /Final cook	148 - 150				
Burger /Final cook	163				
Chili /Cooling 2hrs	55				
Fish/Chicken/Beef /Walk-in	40				
Salmon /Walk-in, thawing	27				
Milk /Expo cooler	39				

Person in Charge (Print & Sign): *First* Cynthia *Last* Anderson
 Regulatory Authority (Print & Sign): *First* Matthew *Last* Saliba

Cynthia Anderson

M Saliba

REHS ID: 3079 - Saliba, Matthew Verification Dates: Priority: _____ Priority Foundation: _____ Core: _____

REHS Contact Phone Number: (919) 500-6269

Authorize final report to
 be received via Email: _____

M Saliba



Comment Addendum to Inspection Report

Establishment Name: RUDY'S PUB GRILL

Establishment ID: 4092016546

Date: 01/09/2025 **Time In:** 10:45 AM **Time Out:** 12:30 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 54 5-501.114; Core; Outside garbage receptacle is missing a drain plug. Drains in dumpsters and waste containers shall have drain plugs in place. Replace plug. No point taken today.

- 55 6-501.11; Core; Cove tile is broken or missing near the mop sink and entry to dry storage area. Physical facilities shall be maintained in good repair and so that they are easily cleanable. Repair/replace tile. Half point taken.

- 56 6-501.14; Core; Dusty ventilation vents observed on ceiling in expo area and near warewashing area. Change the filters and clean the intake and exhaust air ducts so they are not a source of contamination by dust, dirt or other materials.