

# Food Establishment Inspection Report

Score: 98

Establishment Name: WENDY'S

Establishment ID: 4092018582

Location Address: 1900 LAKE PINE DR

City: APEX State: North Carolina

Zip: 27602 County: 92 Wake

Permittee: DELIGHT RALEIGH, LLC

Telephone: (919) 387-8640

Inspection  Re-Inspection  Educational Visit

**Wastewater System:**

Municipal/Community  On-Site System

**Water Supply:**

Municipal/Community  On-Site Supply

Date: 10/21/2025 Status Code: A

Time In: 10:00 AM Time Out: 12:00 PM

Category#: III

FDA Establishment Type: Fast Food Restaurant

No. of Risk Factor/Intervention Violations: 1

No. of Repeat Risk Factor/Intervention Violations: 0

**Foodborne Illness Risk Factors and Public Health Interventions**

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
<b>Supervision .2652</b>					
1	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
PIC Present, demonstrates knowledge, & performs duties		1	0		
2	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Certified Food Protection Manager		1	0		
<b>Employee Health .2652</b>					
3	<input checked="" type="checkbox"/> OUT				
Management, food & conditional employee; knowledge, responsibilities & reporting		2	1	0	
4	<input checked="" type="checkbox"/> OUT				
Proper use of reporting, restriction & exclusion		3	1.5	0	
5	<input checked="" type="checkbox"/> OUT				
Procedures for responding to vomiting & diarrheal events		1	0.5	0	
<b>Good Hygienic Practices .2652, .2653</b>					
6	<input checked="" type="checkbox"/> OUT				
Proper eating, tasting, drinking or tobacco use		1	0.5	0	
7	<input checked="" type="checkbox"/> OUT				
No discharge from eyes, nose, and mouth		1	0.5	0	
<b>Preventing Contamination by Hands .2652, .2653, .2655, .2656</b>					
8	<input checked="" type="checkbox"/> OUT				
Hands clean & properly washed		4	2	0	
9	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
No bare hand contact with RTE foods or pre-approved alternate procedure properly followed		4	2	0	
10	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Handwashing sinks supplied & accessible		2	1	0	
<b>Approved Source .2653, .2655</b>					
11	<input checked="" type="checkbox"/> OUT				
Food obtained from approved source		2	1	0	
12	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Food received at proper temperature		2	1	0	
13	<input checked="" type="checkbox"/> OUT				
Food in good condition, safe & unadulterated		2	1	0	
14	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> N/O				
Required records available: shellstock tags, parasite destruction		2	1	0	
<b>Protection from Contamination .2653, .2654</b>					
15	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Food separated & protected		3	1.5	0	
16	<input checked="" type="checkbox"/> OUT				
Food-contact surfaces: cleaned & sanitized		3	1.5	0	
17	<input checked="" type="checkbox"/> OUT				
Proper disposition of returned, previously served, reconditioned & unsafe food		2	1	0	
<b>Potentially Hazardous Food Time/Temperature .2653</b>					
18	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper cooking time & temperatures		3	1.5	0	
19	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper reheating procedures for hot holding		3	1.5	0	
20	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper cooling time & temperatures		3	1.5	0	
21	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper hot holding temperatures		3	1.5	0	
22	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper cold holding temperatures		3	1.5	0	
23	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Proper date marking & disposition		3	1.5	0	
24	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Time as a Public Health Control; procedures & records		3	1.5	0	
<b>Consumer Advisory .2653</b>					
25	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Consumer advisory provided for raw/undercooked foods		1	0.5	0	
<b>Highly Susceptible Populations .2653</b>					
26	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Pasteurized foods used; prohibited foods not offered		3	1.5	0	
<b>Chemical .2653, .2657</b>					
27	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Food additives: approved & properly used		1	0.5	0	
28	<input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Toxic substances properly identified stored & used		2	X	0	X
<b>Conformance with Approved Procedures .2653, .2654, .2658</b>					
29	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan		2	1	0	

**Good Retail Practices**

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
<b>Safe Food and Water .2653, .2655, .2658</b>					
30	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Pasteurized eggs used where required		1	0.5	0	
31	<input checked="" type="checkbox"/> OUT				
Water and ice from approved source		2	1	0	
32	<input type="checkbox"/> IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> N/A				
Variance obtained for specialized processing methods		2	1	0	
<b>Food Temperature Control .2653, .2654</b>					
33	<input checked="" type="checkbox"/> OUT				
Proper cooling methods used; adequate equipment for temperature control		1	0.5	0	
34	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Plant food properly cooked for hot holding		1	0.5	0	
35	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A <input type="checkbox"/> N/O				
Approved thawing methods used		1	0.5	0	
36	<input checked="" type="checkbox"/> OUT				
Thermometers provided & accurate		1	0.5	0	
<b>Food Identification .2653</b>					
37	<input checked="" type="checkbox"/> OUT				
Food properly labeled: original container		2	1	0	
<b>Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657</b>					
38	<input checked="" type="checkbox"/> OUT				
Insects & rodents not present; no unauthorized animals		2	1	0	
39	<input checked="" type="checkbox"/> OUT				
Contamination prevented during food preparation, storage & display		2	1	0	
40	<input checked="" type="checkbox"/> OUT				
Personal cleanliness		1	0.5	0	
41	<input checked="" type="checkbox"/> OUT				
Wiping cloths: properly used & stored		1	0.5	0	
42	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Washing fruits & vegetables		1	0.5	0	
<b>Proper Use of Utensils .2653, .2654</b>					
43	<input checked="" type="checkbox"/> OUT				
In-use utensils: properly stored		1	0.5	0	
44	<input checked="" type="checkbox"/> OUT				
Utensils, equipment & linens: properly stored, dried & handled		1	0.5	0	
45	<input checked="" type="checkbox"/> OUT				
Single-use & single-service articles: properly stored & used		1	0.5	0	
46	<input checked="" type="checkbox"/> OUT				
Gloves used properly		1	0.5	0	
<b>Utensils and Equipment .2653, .2654, .2663</b>					
47	<input checked="" type="checkbox"/> OUT				
Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used		1	0.5	0	
48	<input checked="" type="checkbox"/> OUT				
Warewashing facilities: installed, maintained & used; test strips		1	0.5	0	
49	<input checked="" type="checkbox"/> OUT				
Non-food contact surfaces clean		1	0.5	0	
<b>Physical Facilities .2654, .2655, .2656</b>					
50	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Hot & cold water available; adequate pressure		1	0.5	0	
51	<input type="checkbox"/> IN <input checked="" type="checkbox"/> OUT				
Plumbing installed; proper backflow devices		2	X	0	
52	<input checked="" type="checkbox"/> OUT				
Sewage & wastewater properly disposed		2	1	0	
53	<input checked="" type="checkbox"/> OUT <input type="checkbox"/> N/A				
Toilet facilities: properly constructed, supplied & cleaned		1	0.5	0	
54	<input checked="" type="checkbox"/> OUT				
Garbage & refuse properly disposed; facilities maintained		1	0.5	0	
55	<input checked="" type="checkbox"/> OUT				
Physical facilities installed, maintained & clean		1	0.5	0	
56	<input checked="" type="checkbox"/> OUT				
Meets ventilation & lighting requirements; designated areas used		1	0.5	0	
<b>TOTAL DEDUCTIONS:</b>					<b>2</b>





## Comment Addendum to Inspection Report

**Establishment Name:** WENDY'S

**Establishment ID:** 4092018582

**Date:** 10/21/2025 **Time In:** 10:00 AM **Time Out:** 12:00 PM

### Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

28 7-204.11 Sanitizers, Criteria - Chemicals (P)

Chemical sanitizing solution in the sanitizer basin of the three compartment sink measured above the required concentration when tested with a test strip. Provide sanitizer at correct concentrations, diluting as required. The PIC diluted and tested the chemical sanitizing solution the required concentration. \*\*\*CORRECTED DURING INSPECTION (CDI)\*\*\*

51 5-205.15 (B) Leak pipe etc. not imminent threat

Mop sink hose and faucet fixture leaks. Maintain a plumbing system in good repair. PIC advised to repair.