

Food Establishment Inspection Report

Score: 98.5

Establishment Name: APEX MIDDLE SCHOOL CAFETERIA

Establishment ID: 4092110010

Location Address: 400 E MOORE ST

City: APEX State: North Carolina

Zip: 27502-1927 County: 92 Wake

Permittee: WAKE COUNTY SCHOOLS

Telephone: (919) 387-2194

Inspection Re-Inspection Educational Visit

Wastewater System:

Municipal/Community On-Site System

Water Supply:

Municipal/Community On-Site Supply

Date: 11/21/2025 Status Code: A

Time In: 11:00 AM Time Out: 12:30 PM

Category#: III

FDA Establishment Type: Elementary School

No. of Risk Factor/Intervention Violations: 0

No. of Repeat Risk Factor/Intervention Violations: 0

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.

Public Health Interventions: Control measures to prevent foodborne illness or injury

Compliance Status		OUT	CDI	R	VR
Supervision .2652					
1	<input checked="" type="checkbox"/> OUT/N/A				
PIC Present, demonstrates knowledge, & performs duties		1	0		
2	<input checked="" type="checkbox"/> OUT/N/A				
Certified Food Protection Manager		1	0		
Employee Health .2652					
3	<input checked="" type="checkbox"/> OUT				
Management, food & conditional employee; knowledge, responsibilities & reporting		2	1	0	
4	<input checked="" type="checkbox"/> OUT				
Proper use of reporting, restriction & exclusion		3	1.5	0	
5	<input checked="" type="checkbox"/> OUT				
Procedures for responding to vomiting & diarrheal events		1	0.5	0	
Good Hygienic Practices .2652, .2653					
6	<input checked="" type="checkbox"/> OUT				
Proper eating, tasting, drinking or tobacco use		1	0.5	0	
7	<input checked="" type="checkbox"/> OUT				
No discharge from eyes, nose, and mouth		1	0.5	0	
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
8	<input checked="" type="checkbox"/> OUT				
Hands clean & properly washed		4	2	0	
9	<input checked="" type="checkbox"/> OUT/N/A/N/O				
No bare hand contact with RTE foods or pre-approved alternate procedure properly followed		4	2	0	
10	<input checked="" type="checkbox"/> OUT/N/A				
Handwashing sinks supplied & accessible		2	1	0	
Approved Source .2653, .2655					
11	<input checked="" type="checkbox"/> OUT				
Food obtained from approved source		2	1	0	
12	<input checked="" type="checkbox"/> IN OUT				
Food received at proper temperature		2	1	0	
13	<input checked="" type="checkbox"/> OUT				
Food in good condition, safe & unadulterated		2	1	0	
14	<input checked="" type="checkbox"/> IN OUT				
Required records available: shellstock tags, parasite destruction		2	1	0	
Protection from Contamination .2653, .2654					
15	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Food separated & protected		3	1.5	0	
16	<input checked="" type="checkbox"/> OUT				
Food-contact surfaces: cleaned & sanitized		3	1.5	0	
17	<input checked="" type="checkbox"/> OUT				
Proper disposition of returned, previously served, reconditioned & unsafe food		2	1	0	
Potentially Hazardous Food Time/Temperature .2653					
18	<input checked="" type="checkbox"/> IN OUT/N/A/N/O				
Proper cooking time & temperatures		3	1.5	0	
19	<input checked="" type="checkbox"/> IN OUT/N/A/N/O				
Proper reheating procedures for hot holding		3	1.5	0	
20	<input checked="" type="checkbox"/> IN OUT/N/A/N/O				
Proper cooling time & temperatures		3	1.5	0	
21	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper hot holding temperatures		3	1.5	0	
22	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper cold holding temperatures		3	1.5	0	
23	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Proper date marking & disposition		3	1.5	0	
24	<input checked="" type="checkbox"/> IN OUT				
Time as a Public Health Control; procedures & records		3	1.5	0	
Consumer Advisory .2653					
25	<input checked="" type="checkbox"/> IN OUT				
Consumer advisory provided for raw/undercooked foods		1	0.5	0	
Highly Susceptible Populations .2653					
26	<input checked="" type="checkbox"/> IN OUT				
Pasteurized foods used; prohibited foods not offered		3	1.5	0	
Chemical .2653, .2657					
27	<input checked="" type="checkbox"/> IN OUT				
Food additives: approved & properly used		1	0.5	0	
28	<input checked="" type="checkbox"/> OUT/N/A				
Toxic substances properly identified stored & used		2	1	0	
Conformance with Approved Procedures .2653, .2654, .2658					
29	<input checked="" type="checkbox"/> IN OUT				
Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan		2	1	0	

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Compliance Status		OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658					
30	<input checked="" type="checkbox"/> IN OUT				
Pasteurized eggs used where required		1	0.5	0	
31	<input checked="" type="checkbox"/> OUT				
Water and ice from approved source		2	1	0	
32	<input checked="" type="checkbox"/> IN OUT				
Variance obtained for specialized processing methods		2	1	0	
Food Temperature Control .2653, .2654					
33	<input checked="" type="checkbox"/> OUT				
Proper cooling methods used; adequate equipment for temperature control		1	0.5	0	
34	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Plant food properly cooked for hot holding		1	0.5	0	
35	<input checked="" type="checkbox"/> OUT/N/A/N/O				
Approved thawing methods used		1	0.5	0	
36	<input checked="" type="checkbox"/> OUT				
Thermometers provided & accurate		1	0.5	0	
Food Identification .2653					
37	<input checked="" type="checkbox"/> OUT				
Food properly labeled: original container		2	1	0	
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
38	<input checked="" type="checkbox"/> OUT				
Insects & rodents not present; no unauthorized animals		2	1	0	
39	<input checked="" type="checkbox"/> OUT				
Contamination prevented during food preparation, storage & display		2	1	0	
40	<input checked="" type="checkbox"/> OUT				
Personal cleanliness		1	0.5	0	
41	<input checked="" type="checkbox"/> OUT				
Wiping cloths: properly used & stored		1	0.5	0	
42	<input checked="" type="checkbox"/> OUT/N/A				
Washing fruits & vegetables		1	0.5	0	
Proper Use of Utensils .2653, .2654					
43	<input checked="" type="checkbox"/> OUT				
In-use utensils: properly stored		1	0.5	0	
44	<input checked="" type="checkbox"/> OUT				
Utensils, equipment & linens: properly stored, dried & handled		1	0.5	0	
45	<input checked="" type="checkbox"/> OUT				
Single-use & single-service articles: properly stored & used		1	0.5	0	
46	<input checked="" type="checkbox"/> OUT				
Gloves used properly		1	0.5	0	
Utensils and Equipment .2653, .2654, .2663					
47	<input checked="" type="checkbox"/> IN				
Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used		1	0.5	0	
48	<input checked="" type="checkbox"/> OUT				
Warewashing facilities: installed, maintained & used; test strips		1	0.5	0	
49	<input checked="" type="checkbox"/> OUT				
Non-food contact surfaces clean		1	0.5	0	
Physical Facilities .2654, .2655, .2656					
50	<input checked="" type="checkbox"/> OUT/N/A				
Hot & cold water available; adequate pressure		1	0.5	0	
51	<input checked="" type="checkbox"/> OUT				
Plumbing installed; proper backflow devices		2	1	0	
52	<input checked="" type="checkbox"/> OUT				
Sewage & wastewater properly disposed		2	1	0	
53	<input checked="" type="checkbox"/> OUT/N/A				
Toilet facilities: properly constructed, supplied & cleaned		1	0.5	0	
54	<input checked="" type="checkbox"/> OUT				
Garbage & refuse properly disposed; facilities maintained		1	0.5	0	
55	<input checked="" type="checkbox"/> IN				
Physical facilities installed, maintained & clean		1	0.5	0	
56	<input checked="" type="checkbox"/> OUT				
Meets ventilation & lighting requirements; designated areas used		1	0.5	0	
TOTAL DEDUCTIONS:					1.5



Comment Addendum to Food Establishment Inspection Report

Establishment Name: APEX MIDDLE SCHOOL CAFETERIA
 Location Address: 400 E MOORE ST
 City: APEX State: NC
 County: 92 Wake Zip: 27502-1927
 Wastewater System: Municipal/Community On-Site System
 Water Supply: Municipal/Community On-Site System
 Permittee: WAKE COUNTY SCHOOLS
 Telephone: (919) 387-2194

Establishment ID: 4092110010
 Inspection Re-Inspection Date: 11/21/2025
 Educational Visit Status Code: A
 Comment Addendum Attached? Category #: III
 Email 1: dsmangum@wcpss.net
 Email 2:
 Email 3: cns312@wcpss.net

Temperature Observations

Item/Location	Temp	Item/Location	Temp	Item/Location	Temp
pepperoni pizza/serving line	164				
cheese pizza/serving line	161				
spicy chicken breast/serving line	157				
parfait/serving line	40				
juice box/serving line	39				
milk/milk chest	39				
parfait/RIC	38				
ambient air/RIC	34				

First

Person in Charge (Print & Sign): Deonna

Last

Mangum

[Signature]

First

Regulatory Authority (Print & Sign): Carla

Last

Pressley

[Signature]

REHS ID: 2800 - Pressley, Carla

Verification Dates: Priority:

Priority Foundation:

Core:

REHS Contact Phone Number: (984) 239-0850

Authorize final report to be received via Email:

[Signature]



Comment Addendum to Inspection Report

Establishment Name: APEX MIDDLE SCHOOL CAFETERIA

Establishment ID: 4092110010

Date: 11/21/2025 **Time In:** 11:00 AM **Time Out:** 12:30 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

47 4-501.11 Good Repair and Proper Adjustment - Equipment (C)

The walk-in cooler stainless steel flooring is not sealed along the seams. As a result, moisture has gotten under the stainless steel flooring and is seeping out along the seam. A brown liquid bubbles up when the stainless steel flooring is walked on. The stainless steel flooring is corroded and rusty in the corner near the walk-in freezer. Maintain equipment in good repair.

55 6-501.11 Repairing - Premises, Structures, Attachments, and Fixtures - Methods (C)

The hood vent system has two active leaks along rusting screws in the white panel. The leak goes from a drip to a flow when it rains. Part of the drip is in front of an oven used to cook and heat food. Blown bulbs in storage areas. Physical facilities shall be kept in good repair. Walk-in cooler floor should be repaired. Replace floor tile and blown bulbs where needed. PIC has limited ability to initiate this repair.