

Sanitation Standards Evaluation Form for Child Care Centers

Demerits: 6

Classification: ☒ Superior ☐ Approved ☐ Provisional ☐ Disapproved

KINDERCARE CORPORATE OFFICE

Establishment Name: SOUTH KILDAIRE KINDERCARE

Operator: HEADQUARTERS

Location Address: 3901 KILDAIRE FARM RD

Date: 07/28/2026

Status Code: A

City: APEX

State: North Carolina

Time In: 10:30 AM

Time Out: 2:00 PM

Zip: 27539

County: 92 Wake

Current Facility ID#: 4092420909

Telephone: (919) 303-7767

Licensing ID#: _____

Maximum Capacity: 162

☒ Inspection☐ Re-Inspection☐ Visit☐ Name Change☐ Verification of Closure☐ Status Change

Wastewater System:

☒ Municipal/Community☐ Onsite System

Water Supply:

☒ Municipal/Community☐ Onsite Supply

Water Sample Taken Today?

☐ Yes☒ No

Demerits

HANDWASHING: .2803, .2836		
1.	Handwashing when required	5
2.	Proper handwashing procedure	5
FOOD: .2804, .2806, .2807, .2808, .2810, .2818, .2836		
*3.	From approved sources, not a hazard or adulterated	6
*4.	Potentially hazardous foods meet storage and holding temperatures; bottles, lunches refrigerated at 45° F or below	6
5.	Food properly stored, thawed, prepared, cooked, cooled, handled, served, transported, packaged and identified; only supervised children in kitchen; water from a handwash lavatory not consumed or used for bottle warming	5
6.	Not re-served	3
7.	Thermometers provided, accurate	2
FOOD SERVICE EQUIPMENT & UTENSILS AND SANITIZING: .2806, .2809, .2810, .2812, .2814		
*8.	Meets specifications for refrigeration, sinks, lavatories and dishwashing equipment	6
9.	Meets specifications for other equipment and utensils, approved material and construction	4
10.	Food contact surfaces properly washed, rinsed, sanitized and air dried; single-service articles not re-used	5
11.	Approved sanitizing solution provided; test kit available	2
12.	Equipment, non-food contact surfaces clean; in good repair	4 4
13.	Proper storage and handling of clean equipment, utensils and single-service articles	3
WATER SUPPLY & DRINKING WATER FACILITIES: .2815, .2836		
*14.	Water supply meets 15A NCAC 18A .1700 and 15A NCAC 18C if applicable; documentation provided	6
*15.	Hot water supplied and maintained in the kitchen	6
16.	Hot water supplied and tempered water maintained as required in all other areas	4
*17.	Hot water in excess of 120°F not allowed in areas accessible to children	6
18.	Backflow prevention provided, no cross connections	3
19.	Approved drinking fountains, pressure regulated, clean	2
LEAD POISONING HAZARDS: .2816		
*20.	No identified lead poisoning hazards in accordance with NCGS 130A-131.7(7); date water tested: 08/02/2023	6
TOILET AND LAVATORY FACILITIES: .2817, .2818, .2836		
21.	Properly sized, located, accessible, and in good repair; sinks, toilets and potty chairs cleaned and disinfected; proper change of use procedure	4
22.	Soap, approved hand drying devices, toilet tissue paper available	3 0
23.	Approved storage in toilet rooms, lavatories free of storage; hand wash signs posted	2
DIAPER CHANGING FACILITIES AND DISINFECTION: .2812, .2817, .2818, .2819; .2820, .2836		
*24.	Approved facilities as needed	6
*25.	Diapering surfaces cleaned and disinfected after each use	6
26.	Approved cleaning solution and approved disinfectant provided; test kit available when required	2
27.	Free of storage and in good repair; cleaning and disinfecting solutions labeled; approved diapering methods used; approved floor barrier; diaper changing and handwash signs posted	4

*Indicates critical item (6-demerits)

Signed: *Angel Myers*

REHS#: 1708

Received By: *[Signature]*

Demerits

STORAGE: .2820		
*28.	Medications properly stored	6
*29.	Hazardous products properly stored and locked	6 0
30.	Non-hazardous products properly stored	3
31.	Facilities provided for proper storage; used and kept clean	2
BEDS, COTS, MATS AND LINENS: .2821, .2836		
32.	Adequate linen provided and properly stored; adequate beds, cots, mats provided, in good repair, properly stored, labeled, spaced during use	3
33.	Linen, bedding, wash cloths, bibs, burping cloths laundered, and in good repair	3
TOYS, EQUIPMENT, FURNITURE: .2822, .2836		
34.	Clean and in good repair; cleaning, sanitization and maintenance of water play centers	4 0
35.	Mouth-contact surfaces cleaned and sanitized in rooms designated for children who are not toilet trained	4
PERSONNEL: .2807, .2823		
36.	Child care center employees wearing gloves, clean clothes, hair restraints where required; no tobacco use	2
FLOORS, WALLS & CEILINGS: .2824, .2825, .2832, .2836		
37.	Easily cleanable, clean, and in good repair; carpets vacuumed as required and extraction cleaned; date cleaned: _____	4 0
LIGHTING AND THERMAL ENVIRONMENT: .2826		
38.	Room temperature between 65° F and 85° F	3
39.	Equipment clean and in good repair; maintained as required	2 2
COMMUNICABLE DISEASE CONTROL: .2827, .2836		
*40.	Persons with a communicable disease or condition excluded in accordance with 10A NCAC 41A .0200	6
41.	Persons caring for sick or mildly ill children excluded from situations in which disease transmission likely to occur; proper written cleanup procedure followed for vomiting or diarrheal events	4
42.	Designated area for sick children; maintained as required; written procedures for vomiting or diarrheal events	2
WASTEWATER: .2829		
*43.	Approved sewage disposal	6
SOLID WASTE: .2830, .2836		
44.	Solid waste properly handled; containers and cleaning equipment kept clean; can cleaning facilities adequate	2
ANIMAL & VERMIN CONTROL, OUTDOOR LEARNING ENVIRONMENT & PREMISES: .2831, .2832		
*45.	Pesticides properly used; no new installation of CCA pressure-treated wood	6
46.	CCA pressure-treated wood sealed; date sealed: _____; soil covered or inaccessible	2
47.	No animals in food preparation areas and no unrestrained animals except as allowed; no prohibited animals; required veterinary records available and current	3
48.	Pest control; premises free of conditions that harbor or attract pests	3
49.	Premises clean and free of standing water; utility equipment inaccessible; equipment and toys clean and in good repair; sandboxes properly constructed, clean and covered; adherence to air quality forecast quality forecast outdoor activity restrictions when applicable	2
SWIMMING & WADING POOLS: .2833		
*50.	Designed, constructed, operated and maintained in accordance with 15A NCAC 18A .2500	6

Classification: Superior – 0-15 demerits, no 6-point demerit; Approved – 16-30 demerits, no 6-point demerit; Provisional – 31-45 demerits, or any 6-point demerit; Disapproved – 46 or more demerits, or failure to improve Provisional classification. An original and two copies of this form shall be completed by local Environmental Health Specialists during each inspection. The original is sent to the Division of Child Development and Early Education N.C. Department of Health and Human Services, one copy is given to the child care operator; and the other copy is kept by the local health department.



North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Children's Environmental Health
DHHS is an Equal Opportunity Employer

Page 1 of ____ EHS 1617 Revised 06/2023

Comment Addendum to Inspection Report

Establishment Name: SOUTH KILDAIRE KINDERCARE

Establishment ID: 4092420909

Date: 07/28/2026 **Time In:** 10:30 AM **Time Out:** 2:00 PM

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Cheese	2-Door Kitchen Refrigerator	35						

Observations and Corrective Actions

12	15A NCAC 18A .2812 (f) Kitchen 2-door refrigerator is not clean around the interior upper fans, light and shelves. Remove shelves for cleaning and effectively clean inside the refrigerator. Kitchen surfaces that are not food-contact surfaces shall be kept clean. 15A NCAC 18A .2810 (f) Countertop, under the electrical cord, around & under bottle warmers, etc in classroom "Infant 2" needs detailed cleaning. A classroom food preparation area countertop shall be kept clean and in good repair. All equipment shall be kept clean.
22	15A NCAC 18A .2817 (a) No toilet paper is available in one classroom toilet room with two toilets that are used by children. In child care centers, toilet tissue paper shall be provided in each toilet room and stored in a clean, dry place. Toilet paper was brought to the classroom upon request.
29	15A NCAC 18A .2820 (b). Aerosol Lysol can is in an unlocked cabinet near the floor under the handwashing sink in the infant classroom. The cabinet has the ability to properly latch, but is held open today with a roll of paper and soap. All hazardous items must be stored behind lock and key. Assure items requiring "out of reach of children" and "locked storage" are properly secured. Lysol aerosol was removed from the classroom. Fragrance was moved to the locked closet and ZEP wipes were properly secured in the locking cabinet.
34	15A NCAC 18A .2822 (a) Soft dolls in classroom Toddler B are not clean. Toys, equipment, furniture, and any other items accessible to the children shall be kept clean and in good repair. Soft babies / soft dolls, etc were taken to laundry during today's inspection.
37	15A NCAC 18A .2825 (a) Cleaning needed around light switches and at some handwashing sinks. Assure surfaces are washable and kept clean. Restore window sills to washable, intact paint.
39	15A NCAC 18A .2826 (b). Window sills in two classrooms are damaged. . GREE a/c unit in Toddler A classroom is actively dripping. Windows and window treatments shall be kept clean and in good repair. All ventilation equipment, including air supply diffusers, return grilles, and fans shall be kept clean and in good repair. Director called in a request for repair during today's inspection.

Additional Comments

GC: Infant classroom has several bottles stored on the door of the dorm/domestic refrigerator. There is not enough space in the refrigerator to effectively hold the infant bottles in the cold interior space. It may be possible to use the upper shelf for three infants (instead of two) by rearranging bottles. Consider adding a second refrigerator, or preferably replacing the small dorm-size refrigerator with a full-size refrigerator.

Water sampling of drinking water to screen for lead shall be conducted soon to meet requirement for once each 3 years. Water has been sampled but results are not yet available.

Some observed sheets are not clean. Increased laundering of sheets or back-up options for sheets may be needed if food or soil is obvious.